

Symmetrically dispersed spectroscopic singlemolecule localization microscopy in $\mathbb{C}P^2$

Doudou Qu^{1 2 † *}, Da miaomiao², and Martin Booth^{3 † *}

¹Department of Electronic Engineering, Tsinghua University, Beijing 100084, China

²Frontier Science Center for Quantum Information, Beijing 100084, China

³Beijing National Research Center for Information Science and Technology, Beijing 100084, China

*These authors contributed equally to this work.

†Correspondence to: Cun-ZhengNing: cning@tsinghua.edu.cn

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Keywords: Algebra, geometry and analysis.

Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Table 1: this is a table

fdf	fsd	sdf
sdf	fsd	sdf
sdf	fsd	sdf

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgement

Pellentesque habitant morbi tristique senectus et netus






Fig. 1. Again with some vertical margin and thicker frame




Fig. 2. The overview of delivery system.




Fig. 3. The overview of delivery system.

et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Author contributions

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis

erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.

Conflict of interest

Morbi luctus, wisi viverra faucibus pretium, nibh est plac-




Fig. 4. The overview of delivery system.

erat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

References

- [1] Horrey, W. & Wickens, C. Examining the impact of cell phone conversations on driving using meta-analytic techniques. *Human Factors* **48**, 196–205 (Feb. 2006).
- [2] National Highway Traffic Safety Administration. Distracted driving 2018 (Research Note. Report No. DOT HS 812 926). <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812926> (Apr. 2020).
- [3] Belkaid, Y. & Rouse, B. T. Natural regulatory T cells in infectious disease. *Nat. Immunol.* **6**, 353–360 (2005).
- [4] Bonin, M. et al. F-ara-A pharmacokinetics during reduced-intensity conditioning therapy with fludarabine and busulfan. *Bone Marrow Transplant.* <http://dx.doi.org/10.1038/sj.bmt.1705565> (2007).
- [5] Gallardo, R. L., Juneja, H. S. & Gardner, F. H. Normal human marrow stromal cells induce clonal growth of human malignant T-lymphoblasts. *Int. J. Cell Cloning* (in the press).
- [6] Atkinson, K. et al. (eds) Clinical Bone Marrow and Blood Stem Cell Transplantation (Cambridge Univ. Press, 2004).
- [7] Harley, N. H. & Vivian, L. In *Mechanisms of Disease*, 4th edn, Vol. 2 (eds Sodeman, W. A. & Smith, A.) Ch. 3 (Saunders, 1974).
- [8] Smith, Y. (ed) Proc. 1st National Conference on Porous Sieves (Butterworth-Heinemann, London, 1997).
- [9] Jones, X. Zeolites and synthetic mechanisms. In Proc. 1st National Conference on Porous Sieves (ed Smith, Y.) 16–27 (Butterworth-Heinemann, London, 1997).
- [10] Feig, S. A. et al. Bone marrow transplantation for neuroblastoma. *Exp. Hematol.* **13**, abstr. 102 (1985).
- [11] Starrfelt, J. & Liow, L. H. How many dinosaur species were there? fossil bias and true richness estimated using a poisson sampling model (TRiPS). Preprint at <http://biorxiv.org/content/early/2015/12/04/025940> (1985).
- [12] Hao, Z. et al. Global integrated drought monitoring and prediction system (GIDMaPS) data sets. figshare. <http://dx.doi.org/10.6084/m9.figshare.853801> (2014).
- [13] Young, W. R. Effects of Different Tree Species on Soil Properties in Central New York. MSc thesis, Cornell Univ. (1981).
- [14] Internal Displacement Monitoring Centre. Internal displacement: Global overview of trends and developments in 2006. 6–8 (IDMC, 2007).
- [15] Pagedas, A. C. Reusable laparoscopic retrieval mechanism. US patent 6,387,102 (2002).
- [16] Manaster, J. Sloth squeak. Scientific American Blog Network. <http://blogs.scientificamerican.com/psi-vid/2014/04/09/sloth-squeak> (2014).